



Purity 99% Peptide Vials Hormone Ipamorelin CAS 170851-70-4 For Weight Loss

Our Product Introduction

for more products please visit us on bodybuild-supplement.com

Basic Information

- Place of Origin: China
- Minimum Order Quantity: 10vials
- Price: USD
- Packaging Details: 1kg/Foil Bag
- Delivery Time: 3-7days after received payment
- Payment Terms: T/T, Western Union, PayPal
- Supply Ability: 5000KG Per Year



Product Specification

- Product Name: Ipamorelin
- Cas: 170851-70-4
- Appearance: Freeze Dried Powder
- Usage: Burning Fat
- Dosage: 2mg
- Highlight: **Hormone Peptide Vials, Peptide Vials 170851-70-4, Ipamorelin For Weight Loss**



Product Description

Purity 99% Peptide Vials Hormone Ipamorelin CAS 170851-70-4 For Burning Fat

Product description

Product name	Ipamorelin
CAS No.	170851-70-4
Other Names	Ipamorelin
Molecular Formula	C38H49N9O5
Molecular weight	711.85
Grade Standard	Medicine Grade
COA	Available

Product introduction

Ipamorelin is an interesting peptide taken 300mcg twice daily or you could lower the dose for 3 times daily, side effects are head rushes, I would recommend taking this 30 minutes before workout with gear. Ipamorelin is a new and potent synthetic pentapeptide which has distinct and specific hormone (GH)-releasing properties. With the objective of investigating the effects on longitudinal bone growth rate, body weight, and GH release, Ipamorelin in different doses (0, 18, 90 and 450 µg/day) was injected three times daily for 15 days to test subjects. After intravital Tetracycline labelling on days 0, 6, and 13, LGR was determined by measuring the distance between the respective fluorescent bands in the proximal tibia metaphysis. Ipamorelin dose-dependently increased LGR from 42 µm/day in the vehicle group to 44, 50, and 52 µm/day in the treatment groups.



Application of Ipamorelin

Ipamorelin has been shown to be both highly potent and very selective in vivo and vitro situations, and has also demonstrated good safety and tolerability in human clinical studies.

Research has shown that Ipamorelin is hormone specific which means that the pituitary hormones such as cortisol are unaffected. In one study, it was found that young female adult rats had increased bone mass due to 12 weeks of treatment with ipamorelin. This peptide compared to other Hormone Releasing Peptides ensures the benefits without having to deal with possible negative side effects.

Ipamorelin in theory may increase Acetylcholine or Cortisol when used in higher dosages. However, an increase in Acetylcholine or Cortisol is even more likely with GHRP-2 and GHRP-6. In fact, in the case of Ipamorelin, there was little to no rise in Acetylcholine and Cortisol blood plasma levels even at injections more than 200 times higher than the effective dosage for comparable GH release.

This clearly proves that Ipamorelin is the first successful GHRP receptor agonist or chemical that binds to a receptor of a cell and triggers a response by that cell with a specific selectivity for the promotion of GH release by itself.

Another advantage to Ipamorelin is that it doesn't cause sudden spikes in prolactin or cortisol as does GHRP-2 and GHRP-6. Ipamorelin is slower in its delivery unlike GHRP's which spike GH levels at a more rapid rate. The slower release is more natural and has a more sustained effect.

Recommended Dosage

This formula is typically dispensed in two milligram vials which contain freeze-dried peptides. In order to reconstitute these peptides, the formula must be combined with water. The type of water which is utilized in order to reconstitute this supplement should be bacteriostatic. After the reconstitution process is complete, the supplement should be utilized within eight weeks and it should be kept refrigerated in order to preserve its active ingredients. Never shake the vial as this may be damaging to the peptide inside. Just swirl it gently or leave the water for a while, while it mixes with the other ingredients. The recommended dosage will be based on a formula which takes body weight into account. For example, someone who weighs one hundred kilograms will need to take one hundred mcg, while someone who weighs ninety kilograms will need to take ninety mcg, et cetera. Usually, this formula is injected three to four times during a twenty-four hour period. Some people use it only once per day. In general, those who use the product in order to stave off aging take it once a day, while those who want to gain muscle mass as quickly as

possible inject it a few times per day. Experts recommend dosing before bedtime, before workouts (or right after workouts) or upon arising in the a.m. People have different strategies for dosing, based on their schedules and goals, so there is some flexibility here.

Package and Shipping of Ipamorelin

Package: 2mg/vial, 10vials/box

Shipping: With 3-5 days after your payment

FAQ of Ipamorelin

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is one box.

Q2: Do you accept VISA business credit card?

A: Yes. VISA business credit card is in our payment .

Q3: How long does it take to me if I order?

A: About 3-5 days upon receipt of payment.

Q4: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer better price for you.

Q5: What kind of transportation do you have?

A: We have many ways of transportations, eg: Air, Sea, Special Lines,TNT, FEDEX, EMS, ect.

 RedBird **WuHan RedBird Biotech Co.,Ltd.**



+8613343428632



Tommy@redbirdbio.com



bodybuild-supplement.com

HanYang District JiangDi Road Wolong Ink Lake Aside